

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...

Results of Search in 1976 to present db for:**ACLM/"immunologically reactive": 167 patents.****Hits 1 through 50 out of 167**[Next 50 Hits](#)[Jump To](#) [Refine Search](#)**RECEIVED**

OCT 16 2003

TECH CENTER 1600/2900

- | PAT.
NO. | Title |
|--------------|---|
| 1 6,613,530 | T Determination of a specific immunoglobulin using multiple antigens |
| 2 6,596,476 | T Hepatitis C assay |
| 3 6,593,083 | T Hepatitis C assay utilizing recombinant antigens |
| 4 6,552,169 | T Density enhanced protein tyrosine phosphatases |
| 5 6,531,572 | T Metal chelate-labelled peptides |
| 6 6,521,744 | T 2- or 3-dimensional geometric structures |
| 7 6,491,926 | T 35 kD tumor associated protein antigen: uses and methods of detection |
| 8 6,476,192 | T Recombinant antigens useful for the serodiagnosis of neosporosis |
| 9 6,448,234 | T Compounds and methods for treatment and diagnosis of chlamydial infection |
| 10 6,437,100 | T DNA encoding a human histamine receptor of the H3 subtype |
| 11 6,423,504 | T Human-derived bradeion proteins, DNA coding for the proteins, and uses thereof |
| 12 6,413,515 | T Avian, vitelline antibodies directed against HIV antigens |
| 13 6,376,203 | T Glycoglycerophospholipid, antibody thereagainst, and method for detecting mycoplasma |
| 14 6,368,876 | T One step immunochromatographic device and method of use |
| 15 6,355,442 | T METHOD OF ASSAYING COLLAGEN FRAGMENTS IN BODY FLUIDS, A TEST KIT AND MEANS FOR CARRYING OUT THE METHOD AND USE OF THE METHOD TO DIAGNOSE THE PRESENCE OF DISORDERS ASSOCIATED WITH THE METABOLISM OF COLLAGEN |
| 16 6,340,577 | T Protein fragments for use in protein targeting |
| 17 6,322,964 | T Synthetic HIV-2 gag and env oligopeptides reactive with HIV-2 specific antibodies |
| 18 6,312,889 | T Combinations of hepatitis c virus (HCV) antigens for use in immunoassays for anti-HCV antibodies |
| 19 6,310,179 | T 2-or 3-dimensional geometric structures |
| 20 6,307,027 | T Bradykinin B1 receptor antibodies |

T

- 21 [6,306,579](#) [Recombinant antigen from the NS3 region of the hepatitis C virus](#)
- 22 [6,306,394](#) [T Nucleic acids, proteins, and methods of use of granulocytic ehrlichia](#)
- 23 [6,294,655](#) [T Anti-interleukin-1 receptor antagonist antibodies and uses thereof](#)
- 24 [6,258,551](#) [T Method for carrying out an immunoassay in a multiphase system](#)
- 25 [6,225,117](#) [T Antibodies against human IL-12](#)
- 26 [6,221,584](#) [T Method of detecting telomerase activity](#)
- 27 [6,207,804](#) [T Genetically engineered antibody analogues and fusion proteins thereof](#)
- 28 [6,204,252](#) [T Characterization of granulocytic ehrlichia and methods of use](#)
- 29 [6,197,496](#) [T Immunological reagents and diagnostic methods for the detection of human immunodeficiency virus type 2 utilizing multimeric forms of the envelope proteins gp300, p200, and p90/80](#)
- 30 [6,190,921](#) [T Ouabain immunoassay and kit and ouabain labeled with 125I or fluorescent label](#)
- 31 [6,180,360](#) [T Process of producing .beta.-lactam antibiotics applying micro-organisms with increased ligase activity](#)
- 32 [6,180,103](#) [T Peptide p277 analogs, and pharmaceutical compositions comprising them for treatment or diagnosis of diabetes](#)
- 33 [6,171,782](#) [T Antibody compositions to HCV and uses thereof](#)
- 34 [6,165,754](#) [T Method of expressing an exogenous nucleic acid](#)
- 35 [6,165,730](#) [T Hepatitis C virus peptides obtained from the NS4 coding region and their use in diagnostic assays](#)
- 36 [6,121,002](#) [T Method to detect bone and other connective tissue disorders in humans and animals](#)
- 37 [6,110,746](#) [T Peptides derived from human heat shock protein 60 for treatment of diabetes, compositions, methods and kits](#)
- 38 [6,027,729](#) [T NANBV Diagnostics and vaccines](#)
- 39 [6,013,766](#) [T Cloning and expression of a novel acetylcholine-gated ion channel receptor subunit](#)
- 40 [6,013,457](#) [T Method for carrying out an immunoassay in a multiphase system](#)
- 41 [5,965,140](#) [T Hybrid particle immunogens](#)
- 42 [5,958,082](#) [T Garments with considerable variation in abrasion level](#)
- 43 [5,948,656](#) [T TIA-1 binding proteins and isolated complementary DNA encoding the same](#)
- 44 [5,945,509](#) [T Glutamate receptor compositions and method](#)
- 45 [5,945,278](#) [T Method and system for enhanced production of commercially important exoproteins in gram-positive bacteria](#)
- 46 [5,942,411](#) [T Process of producing B-lactam antibiotics applying microorganisms with increased ligase activity](#)
- 47 [5,928,886](#) [T Reduction in first slide bias and improved enzyme stability by incorporation of diaryl tellurides in the gravure layer of dry-film, immunoassay elements](#)
- 48 [5,866,323](#) [T Cancer diagnosis prognosis and therapy based on mutation of receptors for transforming growth factor .beta. and homologous growth controlling factors](#)
- 49 [5,856,163](#) [T Lipases from hyphozyma](#)
- 50 [5,856,096](#) [T Rapid and sensitive assays for detecting and distinguishing between processive and non-processive telomerase activities](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Prev. List](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...

Results of Search in 1976 to present db for:**ACLM/"immunologically reactive": 167 patents.****Hits 51 through 100 out of 167**[Prev. 50 Hits](#)[Next 50 Hits](#)[Jump To](#) [Refine Search](#)

PAT. NO.	Title
51	5,837,811 T Proteins active in lymphocyte-mediated cytotoxicity
52	5,821,070 T Antibodies reactive with retinoblastoma binding proteins and methods of using same
53	5,817,470 T Immobilization of antigens to solid support by the mussel adhesive polyphenolic protein and the method for use therein
54	5,811,310 T The Alz-50 monoclonal antibody and diagnostic assay for alzheimer's disease
55	5,804,371 T Hapten-labelled peptides
56	5,792,463 T Hybrid particle immunogens
57	5,767,250 T Complexes comprising truncated CMV gH polypeptides and escort proteins
58	5,766,961 T One-step lateral flow nonbibulous assay
59	5,759,813 T Methods and compositions relating to useful antigens of moraxella catarrhalis
60	5,714,340 T Immunoassay elements having a receptor zone
61	5,712,172 T One step immunochromatographic device and method of use
62	5,712,087 T Immunoassays for anti-HCV antibodies employing combinations of hepatitis C virus (HCV) antigens
63	5,698,390 T Hepatitis C immunoassays
64	5,686,575 T Toxoplasma gondii P28 polypeptides
65	5,686,315 T Assay device for one step detection of analyte
66	5,686,254 T Reduction in first slide bias and improved enzyme stability by the incorporation of diaryl tellurides in thin-film immunoassay elements
67	5,683,864 T Combinations of hepatitis C virus (HCV) antigens for use in immunoassays for anti-HCV antibodies
68	5,674,688 T Method for analyte classification by SC profiles
69	5,665,536 T Diagnostic method and test kit for the serological detection of the AIDS virus

- 70 [5,658,569](#) **T** [Anti-HIV-1 neutralizing antibodies](#)
- 71 [5,652,346](#) **T** [Dicarboxylic acid oxidation products](#)
- 72 [5,633,139](#) **T** [Toxoplasma gondii P28 gene and methods for its use](#)
- 73 [5,629,164](#) **T** [Enzyme immunoassay device](#)
- 74 [5,629,146](#) **T** [Method for detection of human papillomavirus \(HPV\) for diagnostic purposes](#)
- 75 [5,620,901](#) **T** [Determination of concentration by affinity titration](#)
- 76 [5,620,845](#) **T** [Immunoassay diagnostic kit](#)
- 77 [5,618,533](#) **T** [Flagellin-based polypeptides for the diagnosis of lyme disease](#)
- 78 [5,599,679](#) **T** [Amino procollagen 1\(I\) peptides](#)
- 79 [5,552,146](#) **T** [Methods and compositions relating to useful antigens of Moraxella catarrhalis](#)
- 80 [5,541,070](#) **T** [Method to identify and characterize candidate drugs](#)
- 81 [5,534,254](#) **T** [Biosynthetic binding proteins for immuno-targeting](#)
- 82 [5,520,914](#) **T** [Antibodies to angiogenin: immunotherapeutic agents](#)
- 83 [5,516,645](#) **T** [Immunoassay analytical elements containing vanadium IV\(V.sup.+4\)ions](#)
- 84 [5,510,238](#) **T** [Production of human T-cell leukemia \(lymphotropic\) retrovirus \(HTLV-I\) envelope protein fragments in bacteria and use in seroepidemiological studies](#)
- 85 [5,476,786](#) **T** [Biosynthetic antibody binding sites](#)
- 86 [5,474,914](#) **T** [Method of producing secreted CMV glycoprotein H](#)
- 87 [5,470,702](#) **T** [HIV-2 transmembrane glycoprotein homodimer \(gp 80\)](#)
- 88 [5,468,618](#) **T** [Article for performing immunological assays utilizing organic dyes to immobilize immunologically reactive components to a solid phase support and methods for producing and utilizing same](#)
- 89 [5,405,750](#) **T** [Differentiation antigen, NDA4, associated with the receptor for B cell growth factor](#)
- 90 [5,397,695](#) **T** [Attachment of compounds to polymeric particles using carbamoylonium compounds and a kit containing same](#)
- 91 [5,391,483](#) **T** [Ligand analogs for immunoassays derived from dicarboxylic acid oxidation products](#)
- 92 [5,384,262](#) **T** [Quantitative immunoassay for volatile organic compounds](#)
- 93 [5,378,814](#) **T** [Hepatitis delta viral polypeptides](#)
- 94 [5,356,784](#) **T** [Determination of concentration by affinity titration](#)
- 95 [5,350,671](#) **T** [HCV immunoassays employing C domain antigens](#)
- 96 [5,340,935](#) **T** [DNAS encoding proteins active in lymphocyte-mediated cytotoxicity](#)
- 97 [5,338,659](#) **T** [Method for determining analyte concentration by cross-reactivity profiling](#)
- 98 [5,334,394](#) **T** [Human immunodeficiency virus decoy](#)
- 99 [5,328,835](#) **T** [Expression of immunologically reactive HIV envelope proteins](#)
- 100 [5,326,691](#) **T** [Micro-libraries and methods of making and manipulating them methods for generating and analyzing micro-libraries](#)
-

Prev. List	Next List	Top	View Cart	
Home	Quick	Advanced	Pat Num	Help

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Prev. List	Next List	Bottom	View Cart	

Searching 1976 to present...

Results of Search in 1976 to present db for:

ACLM/"immunologically reactive": 167 patents.

Hits 101 through 150 out of 167

[Prev. 50 Hits](#)

[Final 17 Hits](#)

[Jump To](#)

[Refine Search](#)

PAT. NO.	Title
101 5,312,744	T Method of immobilizing and preserving an immunologically reactive substance
102 5,312,628	T Isolation of a soluble 42 KD pancreatic islet cell autoantigen
103 5,298,407	T DNA encoding a protein active in lymphocyte-mediated cytotoxicity
104 5,296,356	T Enzyme-immunoassay method for the determination of an analyte
105 5,283,034	T Stabilization of sterilized surfaces for research and medical use
106 5,266,500	T Attachment of compounds to polymeric particles using dication ethers and a kit containing same
107 5,256,560	T Primitive cell colony stimulating factors and lymphohematopoietic progenitor cells
108 5,231,004	T Use of heme-containing proteins as stabilizers for enzyme-labeled immunoreactants
109 5,202,267	T Sol capture immunoassay kit and procedure
110 5,192,663	T Article having an organic dye and a monolayer of dried mammalian cells and a method for utilizing the article
111 5,178,882	T Viral decoy vaccine
112 5,177,023	T Water-insoluble reagent elements containing same and methods of use
113 5,175,098	T Expression and diagnostic use of gag encoded peptides which are immunologically reactive with antibodies to HIV
114 5,175,097	T Expression and diagnostic use of GAG-1 encoded peptides which are immunologically reactive with antibodies to HIV
115 5,171,749	T Wavelength-specific cytotoxic agents
116 5,169,752	T Methods and materials for HIV detection
117 5,155,024	T Binder composition and analytical element having stabilized peroxidase in layer containing the composition
118 5,147,639	T Type-C rotavirus cultures and uses therefor
119 5,132,405	T Biosynthetic antibody binding sites

- 120 [5,091,513](#) **T** [Biosynthetic antibody binding sites](#)
- 121 [5,079,343](#) **T** [Intracellular antigen found in subpopulation of CD8.sup.+ T lymphocytes and monoclonal antibody reactive with same](#)
- 122 [5,066,581](#) **T** [Differentiation antigen, NDA.sub.3, associated with the receptor for B cell growth factor](#)
- 123 [5,043,289](#) **T** [Method and device for assaying immunologically reactive substances of clinical interest](#)
- 124 [4,997,772](#) **T** [Water-insoluble particle and immunoreactive reagent, analytical elements and methods of use](#)
- 125 [4,963,478](#) **T** [Article for preforming immunological assays utilizing organic dyes and method for producing and utilizing same](#)
- 126 [4,961,920](#) **T** [Phototherapeutic monovinyl and divinyl ether-linked dimers](#)
- 127 [4,918,166](#) **T** [Particulate hybrid HIV antigens](#)
- 128 [4,918,000](#) **T** [Multi-color labeling of different antigens in a biological system](#)
- 129 [4,912,033](#) **T** [Creatine kinase MB determination method](#)
- 130 [4,911,910](#) **T** [Purified equine immunoglobulins and method of use thereof](#)
- 131 [4,874,692](#) **T** [Binder composition and analytical element having stabilized peroxidase in layer containing the composition](#)
- 132 [4,870,006](#) **T** [Antigenic material for a chagas' disease detection system](#)
- 133 [4,859,612](#) **T** [Metal sol capture immunoassay procedure, kit for use therewith and captured metal containing composite](#)
- 134 [4,853,219](#) **T** [Antibodies to angiogenin: immunotherapeutic agents](#)
- 135 [4,828,983](#) **T** [Use of phenols and anilines to increase the rate of peroxidase catalyzed oxidation of leuco dyes](#)
- 136 [4,808,704](#) **T** [Monoclonal antibodies to cell surface antigens of human malignant melanoma](#)
- 137 [4,784,941](#) **T** [Expression and diagnostic use of pENV-3 encoded peptides which are immunologically reactive with antibodies to LAV](#)
- 138 [4,769,238](#) **T** [Synthesis of human virus antigens by yeast](#)
- 139 [4,745,055](#) **T** [Fused protein for enzyme immunoassay system](#)
- 140 [4,735,907](#) **T** [Stabilized fluorescent rare earth labels and labeled physiologically reactive species](#)
- 141 [4,722,840](#) **T** [Hybrid particle immunogens](#)
- 142 [4,670,381](#) **T** [Heterogeneous immunoassay utilizing horizontal separation in an analytical element](#)
- 143 [4,657,850](#) **T** [Serodiagnosis of heartworm infection](#)
- 144 [4,643,718](#) **T** [Therapeutic apheresis](#)
- 145 [4,568,542](#) **T** [Vaccine compositions](#)
- 146 [4,540,401](#) **T** [In vivo therapeutic apheresis using lipid vesicles](#)
- 147 [4,539,292](#) **T** [Immunoassay technique for specific immunoglobulin E](#)
- 148 [4,487,839](#) **T** [Immunoassay methods employing patterns for the detection of soluble and cell surface antigens](#)
- 149 [4,458,020](#) **T** [Integrated single tube plunger immunoassay system having plural reagent chambers](#)
- 150 [4,447,546](#) **T** [Fluorescent immunoassay employing optical fiber in capillary tube](#)
-

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Prev. List	Bottom	View Cart		

Searching 1976 to present...

Results of Search in 1976 to present db for:
ACLM/"immunologically reactive": 167 patents.
Hits 151 through 167 out of 167

[Prev. 50 Hits](#)

[Jump To](#)

[Refine Search](#)

PAT. NO.	Title
151 4,424,279	T Rapid plunger immunoassay method and apparatus
152 4,314,821	T Sandwich immunoassay using piezoelectric oscillator
153 4,289,747	T Immunological determination using lectin
154 4,264,571	T Radioimmunoassay of thymosin .alpha..sub.1
155 4,232,001	T Methods and materials for detection of estrophilin
156 4,229,426	T Breast cyst fluid protein assay
157 4,201,763	T Solid phase immunofluorescent assay method
158 4,172,827	T Method for concentration and purification of antigens and antibodies
159 4,096,138	T Immunological test procedure
160 4,092,116	T Method for binding antibodies to a surface such that they remain active
161 4,088,746	T Radioimmunoassay for thyroid-stimulating hormone (TSH)
162 4,054,646	T Method and apparatus for detection of antibodies and antigens
163 4,020,151	T Method for quantitation of antigens or antibodies on a solid surface
164 4,011,308	T Method for surface immunological detection of biological particles by the use of tagged antibodies
165 3,980,765	T Halogenated immunoabsorbent
166 3,963,441	T Article with a lyophilized immunoreactive self-adhering coating
167 3,960,488	T Method and apparatus for quantitative surface inhibition test

Prev. List	Top	View Cart		
Home	Quick	Advanced	Pat Num	Help